

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	79	gas with flow\$3 with consumption with temperature with pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 10:01	
2	BRS	10	gas with flow\$3 with consumption with temperature with pressure with process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 11:20	
3	BRS	6	gas with flow\$3 with consumption with temperature and meter\$3 with process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 11:20	
4	BRS	1	gas with consumption with measur\$6 with (adjust\$3 or calibrat\$3) with gas with flow\$3 with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 11:20	
5	BRS	10	gas with consumption with measur\$6 with (adjust\$3 or calibrat\$3) and gas with flow\$3 with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 11:20	
6	BRS	11	gas with consumption with measur\$6 with (adjust\$3 or calibrat\$3 or compensat\$3) and gas with flow\$3 with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 11:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	2	"20040130459"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/21 11:10	
8	BRS	1	"4682496".PN.	USPAT; USOCR	2005/04/21 11:09	
9	BRS	0	meter\$3 with gas with electric\$4 with temmperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/21 11:19	
10	BRS	299	meter\$3 with gas\$4 with electric\$4 with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/21 11:20	
11	BRS	2	energy with consumption\$1 with meter\$3 with gas\$4 with electric\$4 with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/21 11:20	
12	BRS	13	energy with consumption\$1 and meter\$3 with gas\$4 with electric\$4 with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/21 11:20	
13	BRS	19	meter\$3 with facilit\$3 and gas\$1 with electrical with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 08:08	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
14	BRS	1	consumption\$1 with meter\$3 with facilit\$3 and gas\$1 with electrical with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 08:18	
15	BRS	2	"20040130459"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 09:39	
16	BRS	18	consumption\$1 with meter\$3 and facilit\$3 and gas\$1 with electrical with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 08:20	
17	BRS	5	consumption\$1 with meter\$3 with gas\$1 with electrical with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 08:21	
18	BRS	0	processor\$1 same consumption\$1 with meter\$3 with gas\$1 with electrical with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 08:21	
19	BRS	1	process\$3 same consumption\$1 with meter\$3 with gas\$1 with electrical with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 08:22	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
20	BRS	1	process\$3 same consumption\$1 with meter\$3 with gas\$1 with flow\$3 with electrical with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 08:23	
21	BRS	2	process\$3 same consumption\$1 with meter\$3 and gas\$1 with flow\$3 with electrical with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 08:23	
22	BRS	10	process\$3 same consumption\$1 with meter\$3 and gas\$1 with flow\$3 same electrical same temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 08:25	
23	BRS	19	process\$3 and utilit\$3 with consumption\$1 and gas\$1 with flow\$3 same electrical same temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 08:26	
24	BRS	5	process\$3 and utilit\$3 with consumption\$1 and gas\$1 with flow\$3 with electrical with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 10:10	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
25	IS&R	4	("4238825").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 09:39	
26	BRS	85	gas with flow\$3 with consumption with temperature with pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 10:01	
27	BRS	54	process\$3 and (energ\$3 or utilitit\$3) with (usage\$1 or consumption\$1) and gas\$1 with flow\$3 with electrical with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 10:03	
28	BRS	23	process\$3 and (energ\$3 or utilitit\$3) with (usage\$1 or consumption\$1) and gas\$1 with flow\$3 with electrical with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 10:04	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
29	BRS	3	process\$3 and (energ\$3 or utilitit\$3) with (usage\$1 or consumption\$1) with manage\$5 and gas\$1 with flow\$3 with electrical with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 10:05	
30	BRS	3	process\$3 and (energ\$3 or utilitit\$3) with (usage\$1 or consumption\$1) same manage\$5 and gas\$1 with flow\$3 with electrical with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 10:06	
31	BRS	23	process\$3 and (energ\$3 or utilitit\$3) with (usage\$1 or consumption\$1) and gas\$1 with flow\$3 with electrical with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 11:23	
32	BRS	23	"4918995".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 11:23	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
33	BRS	0	"4918995".uref. and gas\$1 with temperature\$1 with electric\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 10:09	
34	BRS	5	"4918995".uref. and gas\$1 same temperature\$1 same electric\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 10:09	
35	BRS	0	"4918995".uref. and energ\$3 with (consumption\$1 or usage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 10:10	
36	BRS	10	gas with flow\$3 with consumption with temperature with pressure with process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 11:20	
37	BRS	10	gas with flow\$3 with consumption with temperature with pressure with process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 11:20	
38	BRS	6	gas with flow\$3 with consumption with temperature and meter\$3 with process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 11:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
39	BRS	2	gas with consumption with measur\$6 with (adjust\$3 or calibrat\$3) with gas with flow\$3 with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 11:20	
40	BRS	13	gas with consumption with measur\$6 with (adjust\$3 or calibrat\$3) and gas with flow\$3 with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 11:20	
41	BRS	14	gas with consumption with measur\$6 with (adjust\$3 or calibrat\$3 or compensat\$3) and gas with flow\$3 with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 11:21	
42	BRS	0	"6874691".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 11:23	
43	BRS	21	process\$3 and (energ\$3 or utilitit\$3) with (usage\$1 or consumption\$1 or manag\$6) and gas\$1 with flow\$3 with electrical with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1) and consumption\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/09/08 11:25	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
44	BRS	0	process\$3 and (energ\$3 or utilit\$3) with (usage\$1 or consumption\$1 or manag\$6) and gas\$1 with flow\$3 with electrical with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1) and consumption\$1 with meter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 11:26	
45	BRS	16	process\$3 and (energ\$3 or utilit\$3) with (usage\$1 or consumption\$1 or manag\$6) and gas\$1 with flow\$3 with electrical with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1) and consumption\$1 and meter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 11:27	
46	BRS	10	process\$3 and (energ\$3 or utilit\$3) with (usage\$1 or consumption\$1 or manag\$6) and gas\$1 with flow\$3 with electrical with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1) and consumption\$1 and gas\$1 with meter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 11:28	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
47	BRS	5	facilit\$3 and (energ\$3 or utilit\$3) with (usage\$1 or consumption\$1 or manag\$6) and gas\$1 with flow\$3 with electrical with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1) and consumption\$1 and gas\$1 with meter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 11:29	
48	BRS	72	facilit\$3 and (energ\$3 or utilit\$3) with (usage\$1 or consumption\$1 or manag\$6) and gas\$1 with flow\$3 with temperature\$1 and electrical with meter\$3 and gas\$1 with (conduit\$1 or pipe\$1) and consumption\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 11:43	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
49	BRS	1	facilit\$3 with meter\$3 with hous\$3 and (energ\$3 or utilitit\$3) with (usage\$1 or consumption\$1 or manag\$6) and gas\$1 with flow\$3 with temperature\$1 and electrical with meter\$3 and gas\$1 with (conduit\$1 or pipe\$1) and consumption\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 11:44	
50	BRS	25	facilit\$3 with meter\$3 and (energ\$3 or utilit\$3) with (usage\$1 or consumption\$1 or manag\$6) and gas\$1 with flow\$3 with temperature\$1 and electrical with meter\$3 and gas\$1 with (conduit\$1 or pipe\$1) and consumption\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 11:44	
51	BRS	0	gas\$1 with consumption\$1 same electrical with consumption\$1 and gas\$1 with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 11:59	
52	BRS	222	gas\$1 with consumption\$1 same electrical with consumption\$1 and gas\$1 with temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 11:59	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
53	BRS	3	gas\$1 with consumption\$1 same electrical with consumption\$1 and gas\$1 with flow\$3 with temperature\$1 and meter\$3 with facility	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 12:01	
54	BRS	0	gas\$1 with consumption\$1 same electrical with consumption\$1 and gas\$1 with flow\$3 with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 12:02	
55	BRS	1	gas\$1 with consumption\$1 same electrical with consumption\$1 and gas\$1 with flow\$3 with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1) and meter\$3 with hous\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 12:02	
56	BRS	42	gas\$1 with consumption\$1 same electrical with consumption\$1 and gas\$1 with flow\$3 with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 12:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
57	BRS	39	gas\$1 with consumption\$1 with electrical with consumption\$1 and gas\$1 with flow\$3 with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 12:04	
58	BRS	3732	gas\$1 with consumption\$1 with electrical with consumption\$1 and gas\$1 with flow\$3 meter\$3 with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 12:05	
59	BRS	2	gas\$1 with consumption\$1 with electrical with consumption\$1 and gas\$1 with flow\$3 with meter\$3 with temperature\$1 and gas\$1 with (conduit\$1 or pipe\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/08 12:05	
60	BRS	729	energ\$3 with (consumption\$1 or usage\$1 or manag\$6) and meter\$3 with arran\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:18	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
61	BRS	13	energ\$3 with (consumption\$1 or usage\$1 or manag\$6) and meter\$3 with arran\$6 and gas\$1 with flow\$3 with temperature and electric\$4 with meter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:21	
62	BRS	2	energ\$3 with (consumption\$1 or usage\$1 or manag\$6) and meter\$3 with arran\$6 and gas\$1 with flow\$3 with (pipe\$1 or conduit\$1) with temperature and electric\$4 with meter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:21	
63	BRS	2	energ\$3 with (consumption\$1 or usage\$1 or manag\$6) and meter\$3 with arran\$6 and gas\$1 with flow\$3 with (pipe\$1 or conduit\$1) same temperature and electric\$4 with meter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
64	BRS	76	energ\$3 with (consumption\$1 or usage\$1 or manag\$6) and gas\$1 with flow\$3 with (pipe\$1 or conduit\$1) same temperature and electric\$4 with meter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:22	
65	BRS	13	energ\$3 with (consumption\$1 or usage\$1 or manag\$6) and gas\$1 with flow\$3 with (pipe\$1 or conduit\$1) with temperature and electric\$4 with meter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:44	
66	BRS	76	energ\$3 with (consumption\$1 or usage\$1 or manag\$6) and gas\$1 with flow\$3 with (pipe\$1 or conduit\$1) same temperature\$1 and electric\$4 with meter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:44	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
67	BRS	70	energ\$3 with (consumption\$1 or usage\$1 or manag\$6) and gas\$1 with flow\$3 with (pipe\$1 or conduit\$1) same temperature\$1 and electric\$4 with meter\$3 and gas\$1 with meter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:46	
68	BRS	1	energ\$3 with (consumption\$1 or usage\$1 or manag\$6) and gas\$1 with flow\$3 with (pipe\$1 or conduit\$1) same temperature\$1 and electric\$4 with meter\$3 and gas\$1 with meter\$3 and meter\$3 with hous\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:46	